

In the Drawings:

The attached sheets of drawings include changes to FIGs.5 and 8.

Please replace the previously submitted FIGs. 5 and 8 with the attached Replacement FIGs. 5 and 8. A Submission of Substitute Formal Drawings is also attached.


REMARKS

The proposed amendments to the specification and drawings are merely formal in nature, do not introduce new matter, and do not affect the scope of the claims. Therefore, it is believed that the proposed amendments are permissible under 37 C.F.R. §1.312. Accordingly, approval and entry of these amendments are respectfully requested.

Respectfully submitted,

GREER, BURNS & CRAIN, LTD.

By



Arik B. Ranson

Registration No. 43,874

December 5, 2007

Suite 2500
300 South Wacker Drive
Chicago, Illinois 60606
(312) 360-0080
Customer No. 24978




FIG. 5



SL GRADE	CRITERIA	DESCRIPTION
HIGH	APPLICABLE RANGE	$Tr < 5$ [SECOND]
	MONITORING INTERVAL	ELONGATE BY 100% (MAX 30 MINUTES)
	RELATED ITEMS	WITHDRAW ITEMS #2 AND #3, IF "HIGH" CONTINUES FOR 3 CONSECUTIVE
	RELATED RESOURCES	NO CHANGES REQUIRED
	ACTION ON EVENT	CHANGE TO "LOW"
AVERAGE	APPLICABLE RANGE	$5 \leq Tr < 8$ [SECOND]
	MONITORING INTERVAL	LENGTHEN BY 50% (MAX 30 MINUTES)
	RELATED ITEMS	WITHDRAW ITEMS #2 AND #3, IF "AVERAGE" CONTINUES FOR 5 CONSECUTIVE
	RELATED RESOURCES	NO CHANGES REQUIRED
	ACTION ON EVENT	CHANGE TO "LOW"
LOW	APPLICABLE RANGE	$8 \leq Tr < 15$ [SECOND]
	MONITORING INTERVAL	SHORTEN BY 50% (MIN 3 MINUTES)
	RELATED ITEMS	ADD ITEMS #2 AND #3, IF "LOW" CONTINUES FOR 2 CONSECUTIVE INTERVALS
	RELATED RESOURCES	NO CHANGES REQUIRED
	ACTION ON EVENT	CHANGE TO "LOWEST"
LOWEST	APPLICABLE RANGE	$15 \leq Tr$ [SECOND]
	MONITORING INTERVAL	SHORTEN BY 50 % (MIN 1 MINUTE)
	RELATED ITEMS	ADD ITEMS #2 AND #3
	RELATED RESOURCES	RAISE PRIORITY, IF "LOW" CONTINUES FOR 3 CONSECUTIVE INTERVALS
	ACTION ON EVENT	RAISE PRIORITY

"LOWEST"

FIG. 8